



VA705b

### Reliable, Eco-friendly Performer

Using only 21W of power, the ViewSonic® 17" VA705b LCD delivers impressive front-of-screen performance thanks to fast 5MS VIDEO RESPONSE, 280 nits of brightness (typ) and a 1000:1 contrast ratio (typ). The VA705b delivers crystal-clear graphics and SMOOTH, FULL-MOTION VIDEO IN BRILLIANT COLOR. The OSD power lock secures your screen settings and the Kensington® security port provides theft deterrence. The stylish, slim bezel makes the VA705b an easy fit with any desktop décor while saving valuable desktop real estate. Home users, small office, education and government users will find that the elegant, affordable and energy saving VA705b is an ideal fit.



	17"		19"				
	VA Series VA705b	VG Series VG732m	VA Series VA926g	VA Series VA1931wa-LED	VA Series VA1931wm-LED	VA Series VA1938wa-LED	VA Series VA1948m-LED
Panel Size (in.)	17.0	17.0	19.0	18.5	18.5	18.5	19.0
Panel Technology	TN	TN	TN	TN	TN	TN	TN
Backlight	CCFL	CCFL	CCFL	LED	LED	LED	LED
Windows® Certified	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7
Brightness - nits (typ)	250	250	250	250	250	250	250
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	—	100,000:1	100,000:1	10,000,000:1	10,000,000:1	10,000,000:1	10,000,000:1
Video Response (ms)	5	5	5	5	5	5	5
View Angles (Horz. / Vert.)	160° / 160°	160° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°
Optimum Resolution	1280 x 1024	1280 x 1024	1280 x 1024	1366 x 768	1366 x 768	1366 x 768	1440 x 900
Interface	VGA	VGA / DVI	VGA / DVI	VGA	VGA / DVI (HDCP)	VGA	VGA / DVI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	—	—	—	—
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	—	Yes	—	—	—	—	Yes
Ergonomic Adjustments	Tilt	Height, Swivel, Tilt	Tilt	Tilt	Tilt	Tilt	Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	8.9	11.1	9.0	6.7	6.7	5.9	7.7
Physical Dimensions W x H x D (in.)	15.0 x 15.8 x 8.3	15.2 x 18.7 x 9.0	16.2 x 17.1 x 7.7	17.6 x 13.8 x 7.5	17.6 x 13.8 x 7.5	17.3 x 13.4 x 7.1	18.0 x 15.0 x 8.7
Power Consumption - Watts (typ)	21	25	25	12.5	18.0	18.0	18.0
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish, EPEAT Silver Certification, DVI Cable	OptiSync®, ENERGY STAR®, RoHS, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification	ENERGY STAR®, RoHS, Kensington® Lock Slot	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification

Sales: (888)881-8781 • salesinfo@ViewSonic.com • ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-00B-01/12]





VG1932wm-LED

**Planet-friendly. Picture Perfect**

ViewSonic's VG1932wm-LED backlight LCD is the newest addition to our green-line of LCD monitors. With Mega DCR at 10,000,000:1 you get true-to-life picture depth and clarity in any room. WLED backlight automatically detects image signal and intelligently controls backlight brightness — making the black, pure black in a dark scene and the white, “whiter” in a bright environment. It also automatically adjusts gray level and enhances the LCD monitor's gray level performance range. Ergonomic design with height adjust, swivel and tilt, integrated speakers, DVI input, and Windows 7 certification make the VG1932wm-LED the best choice for both corporate and education customers.



	19"		20"	22"			
	VG Series VG932m	VG Series VG1932wm-LED	VG Series VG2028wm	VA Series VA2223wm-LED	VA Series VA2231wm-LED	VA Series VA2232wm	VA Series VA2248m-LED
Panel Size (in.)	19.0	19.0	20.0	21.5	21.5	22.0	21.5
Panel Technology	TN	TN	TN	TN	TN	TN	TN
Backlight	CCFL	LED	CCFL	LED	LED	CCFL	LED
Windows® Certified	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7
Brightness - nits (typ)	250	250	250	250	250	300	250
Contrast Ratio (typ)	400:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	—	10,000,000:1	100,000:1	10,000,000:1	10,000,000:1	100,000:1	10,000,000:1
Video Response (ms)	5	5	5	5	5	5	5
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°
Optimum Resolution	1280 x 1024	1440 x 900	1600 x 900	1920 x 1080	1920 x 1080	1680 x 1050	1920 x 1080
Interface	VGA / DVI	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	—	—	—	—
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ergonomic Adjustments	Height, Swivel, Tilt	Height, Swivel, Tilt	Height, Swivel, Tilt	Tilt	Tilt	Tilt	Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	13.6	11.5	10.6	8.2	8.6	10.4	8.0
Physical Dimensions W x H x D (in.)	16.2 x 18.8 x 9.1	18.1 x 17.1 x 9.1	18.9 x 15.5 x 9.1	20.1 x 15.3 x 9.7	20.2 x 15.3 x 7.7	20.1 x 16.4 x 7.7	20.8 x 15.8 x 9.0
Power Consumption - Watts (typ)	36	17	27	30	25	45	26
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black	Black
Special Features	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish, EPEAT Silver Certification, DVI Cable	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	2-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, EPEAT Silver Certification, DVI Cable	ENERGY STAR®, RoHS, Kensington® Lock Slot, Matte Finish	ENERGY STAR®, RoHS, Kensington® Lock Slot	Eco-mode for energy saving, RoHS, Kensington® Lock Slot	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Silver Certification

Sales: (888)881-8781 ▪ salesinfo@ViewSonic.com ▪ ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-00B-01/12]





VG2228wm-LED

### The 22" LED Widescreen

ViewSonic's VG2228wm-LED is one of the new members of ViewSonic's VG 28 family. Its 22" (21.5" Viewable) display with a native 1920x1080 resolution is big enough to replace dual-monitor setups. What makes it even more appealing are full ergonomic features including height adjust, swivel and tilt. While DVI and VGA connectors provide diverse input options, the 2-port USB hub gives clutter-free and convenient USB device connectivity. The slim bezel design coupled with hidden stereo speakers make the VG2228wm-LED a space saver. You can put it on your desk or mount on your wall or on any VESA® compliant monitor stand. The ECO-mode saves up to 30%\* in from power consumption. With ViewSonic's strongest pixel performance guarantee and 3-year limited warranty, you will have peace of mind in your investment.



	22"			23"	
	VX Series VX2258wm	VG Series VG2228wm-LED	VG Series VG2236wm-LED	VP Series VP2365-LED	3D Series V3D231
Panel Size (in.)	22.0	21.5	21.5	23.0	23.0
Panel Technology	TN	TN	TN	IPS	TN
Backlight	CCFL	LED	LED	LED	LED
Windows® Certified	Windows® 7 Touch	Windows® 7	Windows® 7	Windows® 7	Windows® 7
Brightness - nits (typ)	200	250	250	250	250
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic Contrast Ratio (typ)	100,000:1	10,000,000:1	20,000,000:1	20,000,000:1	20,000,000:1
Video Response (ms)	5	5	5	6	2
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	178° / 178°	170° / 160°
Optimum Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Interface	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI / HDMI (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	Yes	Yes	—
OnView® Menu Control	—	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	—	Yes
Ergonomic Adjustments	Swivel, Tilt	Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	13.6	9.8	9.7	11.9	7.9
Physical Dimensions W x H x D (in.)	20.1 x 16.4 x 10.4	20.1 x 16.2 x 9.1	20.5 x 16.5 x 9.4	21.6 x 17.0 x 9.8	21.6 x 15.3 x 7.5
Power Consumption - Watts (typ)	28	21	22	45	36
Power Supply	Integrated	Integrated	Integrated	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black
Special Features	Multi-touch Screen, SRS Premium Sound, ENERGY STAR®, EPEAT Silver Certification, DVI Cable	2-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	4-port USB 2.0 Hub, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable, IPS Panel	3D-ready, HDMI 1.4a, DVI Cable, 3D Glasses Included, SRS Premium Sound, ENERGY STAR®, RoHS

Sales: (888)881-8781 • salesinfo@ViewSonic.com • ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-00B-01/12]



VP2765-LED

### Professional-grade Monitor for Pros

The VP2765-LED is one of ViewSonic's new LED Professional Series monitors that utilizes the power of true AMVA panel technology. High contrast ratio and super wide 178/178 degree viewing angles. This coupled with 1920x1080 resolution, makes the VP2765-LED the ultimate professional grade LCD monitor for medical facilities, scientific design, digital art, video production, architecture and any application where true color and total screen viewing is essential. Features DisplayPort and DVI inputs and 4-port USB hub for cluster free connectivity, ergonomic functions with pivot, height adjust, tilt, swivel and slim bezel make the VP2765-LED an amazing monitor.



	24"				27"		
	VA Series VA2431wm	VA Series VA2448m-LED	VG Series VG2428wm	VG Series VG2436wm-LED	3D Series V3D245	VP Series VP2765-LED	VG Series VG2732m-LED
Panel Size (in.)	23.6	23.6	23.6	23.6	23.6	27.0	27.0
Panel Technology	TN	TN	TN	TN	TN	MVA	TN
Backlight	CCFL	LED	CCFL	LED	LED	LED	LED
Windows® Certified	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7	Windows® 7
Brightness - nits (typ)	300	300	300	300	300	300	300
Contrast Ratio (typ)	1000:1	1000:1	1000:1	1000:1	1000:1	3000:1	1200:1
Dynamic Contrast Ratio (typ)	100,000:1	10,000,000:1	100,000:1	20,000,000:1	20,000,000:1	20,000,000:1	20,000,000:1
Video Response (ms)	5	5	5	5	2	25	3
View Angles (Horz. / Vert.)	170° / 160°	170° / 160°	170° / 160°	170° / 160°	170° / 160°	178° / 178°	170° / 160°
Optimum Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Interface	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI (HDCP)	VGA / DVI / HDMI (HDCP)	VGA / DVI / Displayport (HDCP)	VGA / DVI / Displayport (HDCP)
AutoTune® Function	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pivot (Portrait/Landscape)	—	—	—	Yes	—	Yes	Yes
OnView® Menu Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Integrated Speakers	Yes	Yes	Yes	Yes	Yes	—	Yes
Ergonomic Adjustments	Tilt	Tilt	Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt	Tilt	Pivot, Height, Swivel, Tilt	Pivot, Height, Swivel, Tilt
VESA® Wall Mount Option	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Net Weight (lb.)	11.2	10.1	15.4	11.9	9.7	18.6	14.5
Physical Dimensions W x H x D (in.)	22.1 x 16.8 x 8.4	22.6 x 16.9 x 9.2	22.2 x 17.4 x 9.8	22.3 x 17.1 x 9.4	22.3 x 17.4 x 9.5	25.3 x 18.3 x 15.3	25.3 x 17.0 x 9.5
Power Consumption - Watts (typ)	49	29	45	30	33	55	55
Power Supply	Integrated	Integrated	Integrated	Integrated	Adapter	Integrated	Integrated
Cabinet Color	Black	Black	Black	Black	Black	Black	Black
Special Features	Eco-mode for energy saving, RoHS, Kensington® Lock Slot, ENERGY STAR®, EPEAT Silver Certification	Eco-mode for energy saving, RoHS, Kensington® Lock Slot, ENERGY STAR®, EPEAT Silver Certification	2-port USB 2.0 Hub, OptiSync®, Slim Bezel, ENERGY STAR®, EPEAT Silver Certification, DVI Cable	ENERGY STAR®, RoHS, Kensington® Lock Slot, EPEAT Gold Certification, DVI Cable	120Hz/3D-ready, Dual Link DVI cable, HDMI 1.4a, SRS Premium Sound, nVIDIA 3D Glasses Included	DisplayPort, 4-port USB 2.0 HUB, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable, Advanced MVA Panel	DisplayPort, 2-port USB 2.0 HUB, Slim Bezel, ENERGY STAR®, RoHS, EPEAT Silver Certification, DVI Cable

Sales: (888)881-8781 • salesinfo@ViewSonic.com • ViewSonic.com

For the most current product accessories and specifications visit ViewSonic.com. Three-year limited warranty on parts, labor and LCD light source. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2012 ViewSonic Corporation. All rights reserved. [15989-00B-01/12]